



التاريخ : 26/09/2018

طرح عطاء رقم – RFQ-H-11047

السادة / الشركات المختصة الراغبة بالمشاركة بالعطاء - المحترمين .
الموضوع : أجهزة طبية ، حسب المواصفات المرفقة .

بالإشارة إلى الموضوع أعلاه، يرجى الاطلاع على جداول المواصفات المرفقة مع مراعاة الشروط التالية :-

1. تكتب الاسعار بالشيكال الاسرائيلي وبشكل واضح في المكان المخصص حسب الجدول المرفق وتشمل قيمة الضريبة المضافة، في حال وجود تعارض بين سعر الوحدة ومجموع سعر الوحدة المشتق، فإن سعر الوحدة هو الذي سيعتمد .
2. ثمن نسخة العطاء (350) شيكل إسرائيلي غير مستردة تدفع في الدائرة المالية مبنى الإدارة – الطابق الأول .
3. كفالة دخول عطاء بقيمة (1000) ألف دولار امريكي او ما يعادلها سارية المفعول لمدة ثلاثة شهور تأميناً نقدياً او كفالة بنكية او شيكاً مصدقاً وفي حالة عدم تقديم التأمين لاينظر في عرض سعركم.
4. كفالة حسن تنفيذ بقيمة 10% من قيمة العطاء في حالة الترسية تأميناً نقدياً او كفالة بنكية او شيكاً مصدقاً سارية المفعول لمدة ثلاثة اشهر
5. رسوم الاعلان على من يرسو عليه العطاء .
6. ضرورة الالتزام بالتسعير على النموذج المرفق بالعطاء .
7. يتم تقديم شهادة خصم مصدر في حالة تجاوز المبلغ قيمة 2500 شيكل او ما يعادلها.
8. غرامة تأخير 2% عن كل اسبوع وتبدأ من اليوم الذي يلي موعد التسليم المحدد من قبلكم، وفي حال تأخير التوريد مدة تزيد عن اسبوعين يحق للمستشفى إلغاء أمر الشراء والاحالة على مورد آخر وتحملكم فروق الاسعار.
9. الدفع خلال 90 يوماً من تاريخ الاستلام والفحص ومطابقة المواصفات الفنية المطلوبة .
10. تحديد فترة التسليم في عرض سعركم وايضاً فترة الضمان وأن تكون صلاحية العرض المقدم من طرفكم مدة لا تقل عن ثلاثة اشهر .
11. أن يشمل عرض السعر كفالة على الأجهزة المطلوبة .
12. تسلم عروض الاسعار في مكتب مدير دائرة اللوازم والمشتريات رقم (6400) مبنى الإدارة في مستشفى النجاح الوطني الجامعي بالطرف المختوم وتوضع في صندوق العطاءات ، على أن يكون عرض السعر يحوي فصلاً بين العرض المالي والعرض الفني أي أن العرض المالي منفصل عن العرض الفني مع ضرورة كتابة رقم العطاء على المغلفين وتوضيح اي منهما العرض الفني والعرض المالي.
13. على كل من يرغب بالمشاركة بتقديم عرض سعر تقديم ما لديه من مواد او اجهزة او ماركات لما جاء اعلاه او البديل له والرد على العطاء سلباً او ايجاباً .
14. يحق للمستشفى تجزئة العطاء وهي غير ملزمة بأقل الاسعار .
15. يحق للمستشفى إلغاء العطاء دون ابداء السبب ودون تحمل اية تكاليف مع اعادة رسوم نسخة العطاء للمشاركين في العطاء ان وجدت، ولا تتحمل المستشفى تكاليف النقل والتحميل والتنزيل .
16. ضرورة ارفاق الرخصة التجارية والسيرة الذاتية للشركة مع عرض السعر .
17. اخر موعد لتقديم عرض السعر هو يوم الأحد الموافق 2018-10-07 الساعة الثالثة عصراً 03:00 PM .
18. لأية إستفسارات متعلقة بالعطاء المذكور اعلاه ، يرجى الاتصال بالسيد مدير دائرة اللوازم والمشتريات هاتف رقم (97092389687) داخلي (6400) أو من خلال البريد الالكتروني tender3@najah.edu .

مدير دائرة اللوازم والمشتريات

إياد المكاوي

A&M



طرح عطاء رقم - RFQ-H-11047

No.	Item Name	Description	Units	Price/unit	Total price
1	vortexers	Minivortexers for general-purpose mixing. which allows a range of applications, from gentle sample mixing to faster and harder mixing. Better to be equipped with rubber feet to avoid sliding, even at maximum speed.	3	pcs	
2	Microcentrifuge	1 of the 2 with plate and 8-tubes strip rotors capable of attaining 13,000–14,000 rpm	2	pcs	
3	PCR cooler Block (rack) (if the lab has ice maker no need for this)	The block is rapidly frozen in freezer. It Keeps PCR Tubes, Strip Tubes, PCR Plates, microtubes and cryovials cold on the bench top till the experiment is finished.	4	pcs	
4	Microliter pipet	Finnpipette Single channel sterile and suitable for PCR. - 0.2-2 µl - 1-10 µl - 10-100 µl - 100-1000 µl	3 3 3 3	pcs pcs pcs pcs	
5	Nanodrop	A Spectrophotometer that allows a sample to be pipetted directly onto an optical measurement surface. Once the measurement is complete, the surfaces are simply wiped with a lint-free lab wipe. • Micro-volume sample size (0.5-2.0µL) • Easy to use—pipet sample directly onto the pedestal • No dilutions required, even for highly concentrated samples • Fast measurement time of less than 5 seconds • Full spectral output (190 - 840 nm) • 260/280+260/230	1	pcs	



An-Najah National university Hospital

		• Preconfigured methods for A260, A280, labeled DNA or Proteins, and much more • User-friendly software that includes custom methods and data export capabilities			
6	Horizontal Gel electrophoresis system	Horizontal gel electrophoresis Unit and associated accessories The unit must include: Electrophoresis tank Safety lid with high voltage leads Migration tray Tray for preparation Power supply Other Specifications One unite 7.5*7.5 cm with adjustable comb with 6 and 12 wells Other unite Spirit level UV-transparent migration tray Electrophoresis generation for two tanks simultaneously • Automatic restart in the event of power failure • Timer • 300 volt, 400 mA, maximum power 120	1	pcs	
7	Gel documentation system	Simple system to capture good quality and high resolution digital images of DNA in agarose gel. It is preferable that UV transilluminator built in the tower.	1	pcs	



An-Najah National university Hospital

8	conventional PCR	small thermal cycler offering a comprehensive set of convenient features in a small footprint. Thermal gradient technology allows you to quickly optimize your reaction in a single run. a reliable personal thermal cycler that delivers exceptional performance for years . running multiple reactions with different thermal programs (temperature) in the same PCR run <table><tr><td>Sample capacity</td><td>96 x 0.2 ml tubes, 0.2 ml tube strips, or 1 x 96-well plate</td></tr><tr><td>Maximum ramp rate, °C/sec</td><td>4</td></tr><tr><td>Average ramp rate, °C/sec</td><td>2.5</td></tr><tr><td>Temperature range</td><td>4–100°C</td></tr><tr><td>Temperature accuracy</td><td>±0.5°C of programmed target</td></tr><tr><td>Temperature uniformity</td><td>±0.5°C well-to-well within 30 sec of arrival at target temperature</td></tr><tr><td>Input power</td><td>100–150 VAC, 50–60 Hz; 220–240 VAC, 50–60 Hz; 700 W maximum</td></tr><tr><td>Display</td><td>5.7" VGA color touch screen</td></tr><tr><td>Port</td><td>1 USB A</td></tr><tr><td>Memory</td><td>500 typical programs; unlimited with USB flash drive expansion</td></tr><tr><td>Dimensions (W x D x H)</td><td>26 x 47 x 23 cm (10 x 18 x 9")</td></tr><tr><td>Weight</td><td>9 kg (20 lb)</td></tr><tr><td>Gradient</td><td></td></tr><tr><td>Gradient range</td><td>30–100°C</td></tr><tr><td>Temperature differential range</td><td>1–25°C</td></tr></table>	Sample capacity	96 x 0.2 ml tubes, 0.2 ml tube strips, or 1 x 96-well plate	Maximum ramp rate, °C/sec	4	Average ramp rate, °C/sec	2.5	Temperature range	4–100°C	Temperature accuracy	±0.5°C of programmed target	Temperature uniformity	±0.5°C well-to-well within 30 sec of arrival at target temperature	Input power	100–150 VAC, 50–60 Hz; 220–240 VAC, 50–60 Hz; 700 W maximum	Display	5.7" VGA color touch screen	Port	1 USB A	Memory	500 typical programs; unlimited with USB flash drive expansion	Dimensions (W x D x H)	26 x 47 x 23 cm (10 x 18 x 9")	Weight	9 kg (20 lb)	Gradient		Gradient range	30–100°C	Temperature differential range	1–25°C	2	pcs
Sample capacity	96 x 0.2 ml tubes, 0.2 ml tube strips, or 1 x 96-well plate																																	
Maximum ramp rate, °C/sec	4																																	
Average ramp rate, °C/sec	2.5																																	
Temperature range	4–100°C																																	
Temperature accuracy	±0.5°C of programmed target																																	
Temperature uniformity	±0.5°C well-to-well within 30 sec of arrival at target temperature																																	
Input power	100–150 VAC, 50–60 Hz; 220–240 VAC, 50–60 Hz; 700 W maximum																																	
Display	5.7" VGA color touch screen																																	
Port	1 USB A																																	
Memory	500 typical programs; unlimited with USB flash drive expansion																																	
Dimensions (W x D x H)	26 x 47 x 23 cm (10 x 18 x 9")																																	
Weight	9 kg (20 lb)																																	
Gradient																																		
Gradient range	30–100°C																																	
Temperature differential range	1–25°C																																	
9	PCR for cDNA synthesis	Small PCR designated for cDNA synthesis only put in the RNA and DNA isolation room. Similar to conventional PCR but for 16-25 wells	1	pcs																														

p.m



10	Microwave	a local apparatus with height suitable to the gel containing flask. It is needed mainly To warm up solutions and melt agarose (H, W, depth 8*50*35 cm)	1	pcs	
11	shaking water bath	Support a range of sensitive life science such as warming for molecular and genetics sequencing applications. Easily clean and maintain with coil-free interior.	1	pcs	
12	PST-60HL, Plate Shaker- Thermostat (stripassays)	designed for shaking and thermostating 2 standard 96-well microplates. allows operating it as 3 independent devices: • Incubator; • Microplate shaker; • Thermo-Shaker. Plate Shaker-Thermostat provides: • Soft or intensive sample shaking • Rotation speed regulation, stabilization and indication • Even rotation amplitude throughout the Thermo-Shaker platform • Required operation time setting and indication • Automatic stopping of the platform movement after expiration of the set time • Setting and indication of the required temperature on the platform	1	pcs	
13	Freezer+ Refrigerator	-20 to -30 c for the freezer and 4c for the fridge. it can be local	2	pcs	
14	UV lamp	Mobile nucleic acid decontaminating UV lamp that can be mounted on ceiling or inside the hoods. It should be waterproof and glass save. short wavelength specific for nucleic acid decontamination	2	pcs	



An-Najah National university Hospital

15	Horizontal Gel electrophoresis system	Horizontal gel electrophoresis Unit and associated accessories The unit must include: Electrophoresis tank Safety lid with high voltage leads Migration tray Tray for preparation Other Specifications One unite 9 length*15width cm with adjustable comb with 15 and 20 wells. 2 combs per cassette at the same time. Spirit level UV-transparent migration tray Electrophoresis generation for two tanks simultaneously • Automatic restart in the event of power failure • Timer • 300 volt, 400 mA, maximum power 120	1	pcs	
	Total				

- يرجى من حضرتكم تحديد مدة التوريد

PM

6 of 6Page



مستشفى النجاح الوطني الجامعي

إعلان طرح عطاء

تدعو مستشفى النجاح الوطني الجامعي الشركات المختصة والراغبة بالمشاركة في العطاء المذكور في الجدول:

مؤعد الإغلاق	مؤعد طرح العطاء		مؤعد نسخة العطاء	مؤعد العطاء	#
	الساعة	التاريخ			
PM 03:00	2018/10/07	2018/09/26	350 شيكل غير مستردة	أجهزة طبية لمختبر الوراثة الجزيئية	RFQ-H-11047 1

وحسب الشروط التالية:

1. ضرورة إرفاق الرخصة التجارية والسيرة الذاتية للشركة مع عرض السعر .
2. رسوم الإعلان على من يرسو عليه العطاء .
3. ثمن نسخة العطاء 350 شيكل غير مستردة .
4. كفالة دخول عطاء بقيمة (1000) ألف دولار أمريكي .

على الراغبين بالاشتراك في العطاء المذكور طلبه بواسطة إرسال رسالة على الإيميل التالي tender3@najah.edu أو مراجعة دائرة اللوازم والمشتريات مكتب رقم 6400 في مستشفى النجاح الوطني الجامعي مبنى الإدارة ، للحصول على نسخة من وثائق العطاء.

للاستفسار يرجى الاتصال على:

دائرة اللوازم والمشتريات في مستشفى النجاح الوطني الجامعي - البريد الإلكتروني tender3@najah.edu هاتف 2389687-09-970-+ فاكس: 2389685-09-970-+ .